



**Pillow** è un filato mid-season grosso, morbido ma leggero come una piuma. La maglia che si genera è lucida come fosse in cotone mercerizzato ma al contrario di questo materiale, sorprende per leggerezza e mano morbida. Tutto questo è dovuto alla speciale tecnologia di volumizzazione delle fibre di cotone contenute da una speciale catenella lucida comfort. Filato adatto per capi sia invernali che estivi su finezza 3.

*Pillow is a bulky mid-season yarn but soft and light as a feather thanks to a special technology of volumization of cotton fibers contained by a special glossy comfort chain. Yarn suitable for both winter and summer garments on gauge 3.*

\* FORNITURA BCI (Better Cotton Initiative) SU RICHIESTA  
\* BCI (Better Cotton Initiative) SUPPLY ON REQUEST

Love  
Ecology  
And  
Fashion

**PILLOW** NM 2,6 62% \*COTONE 38% NYLON  
TITOLO NOMINALE - NOMINAL COUNT 62% \*COTTON 38% NYLON

COTTE OTTIMALI - OPTIMAL DYE LOTS  
KG: 13\* - 30\* - 60\* - 120 - 240  
\*CON SUPPLEMENTO - \* WITH SURCHARGE

**INDICAZIONI PER L'UTILIZZO:**

**MACCHINA RETTILINEA FINEZZA 3 AD UN CAPO**

LA LAVORAZIONE SEAMLESS HA MAGGIORI CRITICITA' DA DOVER VALUTARE DOPO LE VOSTRE PROVE CON IL NOSTRO UFFICIO TECNICO.  
LA STRUTTURA ARTIGIANALE CHE VOLUMINIZZA LE SPECIALI FIBRE SOFFICI, CREA EFFETTI DI RIFRAZIONE DI LUCE E COLORE COMPENSATI DALLA LAVORAZIONE A PIU' GUIDAFILI CON ALIMENTATORE PERFETTAMENTE REGOLATO.  
LAVORARE A PIU' GUIDAFILI ALTERNANDO ROCHE INTERE E AMMEZZATE.  
SI RACCOMANDA DI NON RIROCCARE IL FILATO PER EVITARE ROTTURE DELLA STRUTTURA.  
NELL'EVENTUALITA' RIPASSARE ESCLUSIVAMENTE CON ROCCATRICI A CILINDRO SCANALATO O CON GUIDAFILO CHIUSO ADEGUATAMENTE LARGO.  
USARE TENSIONE ADEGUATA PER OTTENERE ROCHE MORBIDE.  
VAPORIZZARE ADEGUATAMENTE IL MANUFATTO.  
FILATI REALIZZATI CON SPECIALE TECNOLOGIA DI VOLUMINIZZAZIONE DELLE FIBRE.  
CONSIDERARE QUESTA CARATTERISTICA NELLA RESISTENZA ALL'USO.  
VALUTARE ATTENTAMENTE L'IMPATTO DEI NODI SUL CAPO IN QUANTO LA COSTRUZIONE ARTIGIANALE DEL FILATO NE DETERMINA LA PRESENZA.

**INDICATIONS FOR USE:**

**FLAT KNITTING MACHINE GAUGE 3 FOR 1 PLY**

THE SEAMLESS KNITTING IS MORE CRITICAL, PLEASE EVALUATE YOUR TESTS WITH CARE AND THEN WITH OUR TECHNICAL DEPARTMENT.  
THE ARTISANAL STRUCTURE THAT VOLUMIZES THE SPECIAL SOFT FIBERS, CREATES REFRACTION EFFECTS OF LIGHT AND COLOR COMPENSATED BY THE KNITTING WITH MULTIPLE THREADGUIDES WITH A PERFECTLY REGULATED FEEDER.  
DO NOT USE A SINGLE FEED BUT AS MULTIFEED KNITTING ALTERNATIVE FULL AND HALF CONES. IN ORDER NOT TO DAMAGE THE STRUCTURE, WE SUGGEST NOT TO RE-WIND THIS YARN. IN CASE YOU ARE OBLIGED TO, RE-WIND ONLY BY FLUTED ROLL WINDING MACHINE OR WITH AN ADEQUATELY WIDE RING YARN GUIDE.  
APPLY THE CORRECT REGISTRATION IN ORDER TO OBTAIN SOFT CONE.  
STEAM ADEQUATELY.  
YARNS PRODUCED WITH A SPECIAL TECHNOLOGY OF BULKINESS OF THE FIBRES.  
THIS CHARACTERISTIC MUST BE TAKEN INTO CONSIDERATION FOR THE WEAR RESISTANCE. CAREFULLY CONSIDER THE IMPACT OF THE KNOTS ON THE GARMENT BECAUSE THE ARTISAN CONSTRUCTION OF THE YARN DETERMINES THEIR PRESENCE.

**CARATTERISTICHE TECNICHE:**

**TARIFFA DOGANALE: 56060099**

PESO A MQ 409 GR. RELATIVO AL TELO DI CAMPIONARIO, PUNTO RASATO TRATTATO FIN. 3.  
ICI PILLING BOX TEST: UNI EN ISO 12945-1 (14400 GIRI) VALORE PILLING 3 - 4 RELATIVO AL TELO DI CAMPIONARIO, PUNTO RASATO TRATTATO.  
TIPO DI NODI: MANUALI + SPLICER. NUMERO MEDIO DI NODI PER ROCCA: 3 / 4  
PER TIPOLOGIA FILATI FANTASIA UNO SCARTO DEL 6 - 8% È DA RITENERSI NELLA NORMA.

**TECHNICAL NOTES:**

**CUSTOMS CODE: 56060099**

SQ. METER WEIGHT: 409 GR. REFERRING TO SAMPLE JERSEY STITCH WASHED GG. 3.  
ICI PILLING BOX TEST: UNI EN ISO 12945-1 (14400 TURNS) 3 - 4 PILLING VALUE, REFERRING TO SAMPLE JERSEY STITCH WASHED.  
KIND OF KNOTS: MANUAL + SPLICER. AVERAGE NUMBER OF KNOTS PER CONE: 3 / 4  
FOR FANCY YARNS A WASTE OF 6 - 8% CAN BE CONSIDERED NORMAL.

**ISTRUZIONI DI TRATTAMENTO INDUSTRIALE RIFERITE AL NOSTRO CAMPIONARIO:**

VAPORIZZARE ADEGUATAMENTE.  
TRATTAMENTO: 1 MINUTO, RAPPORTO BAGNO 1/20 (MATERIALE/ACQUA) - TEMPERATURA: 25° C.  
AMMORBIDENTE: CATIONICO, CIRCA 3% PESO MATERIALE - ASCIUGATURA A FREDDO.  
I VARI PUNTI MAGLIA CONDIZIONANO IL RIENTRO AL LAVAGGIO.  
SI RACCOMANDA UN CONTROLLO PRELIMINARE ALLA PRODUZIONE INDUSTRIALE, IN MODO DA OTTIMIZZARE LE RESE PER LE QUALI NON SIAMO RESPONSABILI. E' RACCOMANDATO IL TRATTAMENTO IN ACQUA IN MODO DA GARANTIRE LA STABILITA' DIMENSIONALE DEI CAPI.

**INDUSTRIAL FINISHING INSTRUCTIONS REFERRED TO OUR COLLECTION:**

STEAM ADEQUATELY.  
TREATMENT: 1 MINUTE, BATH RATIO 1/20 (MATERIAL/WATER) - TEMPERATURE: 25° C.  
SOFTENERS: CATIONIC, ABOUT 3% OF MATERIAL WEIGHT - DRY COLD.  
SHRINKING AFTER WASHING DEPENDS ON THE KIND OF STITCH USED.  
WE RECOMMEND TO CHECK IT BEFORE ENTERING BULK PRODUCTION, SO AS TO OPTIMIZE THE PERFORMANCES FOR WHICH WE DO NOT REMAIN RESPONSIBLE. WE RECOMMEND A TREATMENT IN WATER SO AS TO GUARANTEE THE DIMENSIONAL STABILITY OF GARMENTS.

**SOLIDITA' : VALORI MEDI INDICATIVI - FASTNESS: INDICATIVE AVERAGE VALUES**

LAVAGGIO IN ACQUA A 30°C. WATER WASHING AT 30°C. (UNI EN ISO 105 C06)	<b>3</b>	LAVAGGIO A SECCO DRY CLEANING (UNI EN ISO 105 X05)	<b>4</b>
LUCE LIGHT (UNI EN ISO 105 B02)	<b>3 - 4</b>	TINTO MATASSA HANK DYED	

SUDORE ALCALINO ALKALINE PERSPIRATION (UNI EN ISO 105 E04)	<b>3</b>	SUDORE ACIDO ACID PERSPIRATION (UNI EN ISO 105 E04)	<b>3</b>
SFREGAMENTO A SECCO DRY RUBBING (UNI EN ISO 105 X12)	<b>3</b>	SFREGAMENTO A UMIDO WET RUBBING (UNI EN ISO 105 X12)	<b>3</b>

PER COLORI CHIARI E BIANCO, LA SOLIDITA' ALLA LUCE E' INFERIORE DI CIRCA 1 PUNTO DAI VALORI INDICATIVI DELLA SCHEDA CHE SI RIFERISCONO AI COLORI DELLA CARTELLA.  
LE SOLIDITA' DEI COLORI A CAMPIONE VA DEFINITA CON I NOSTRI UFFICI COMMERCIALI.

FOR LIGHT AND WHITE COLORS THE FASTNESS TO LIGHT IS LOWER OF APPROX. 1 POINT FROM THE INDICATIVE VALUES OF THE TECHNICAL SHEET WHICH REFER TO COLOR CARD COLORS.  
THE FASTNESS OF SPECIAL COLORS MUST BE CONFIRMED WITH OUR SALES OFFICES.

**ISTRUZIONI DI MANUTENZIONE:**

LAVARE DELICATAMENTE IN ACQUA A 30°C. CON SAPONE NEUTRO OPPURE A SECCO.  
PER CAPI RIGATI O COLORI CONTRASTANTI E' RACCOMANDATO IL LAVAGGIO A SECCO.  
RIVOLGERSI ALL'UFFICIO COMMERCIALE PER VALUTARE LA POSSIBILITA' DI TRATTAMENTI E COSTI, PER RAGGIUNGERE SOLIDITA' MAGGIORI.  
ASCIUGARE IN PIANO SUBITO DOPO IL LAVAGGIO. NON ESPORRE CAPI UMIDI A LUCE DIRETTA.  
I VARI PUNTI MAGLIA CONDIZIONANO IL RIENTRO AL LAVAGGIO ED E' SEMPRE NECESSARIO EFFETTUARE LE PROVE RELATIVE A QUANTO DICHIARATO NELLE ETICHETTE DI MANUTENZIONE.  
SI CONSIGLIA DI EFFETTUARE SEMPRE UN CONTROLLO PRELIMINARE ALLA PRODUZIONE INDUSTRIALE AL FINE DI GARANTIRE LA CONFORMITA' DELLE TAGLIE.

**CARE INSTRUCTIONS:**

WASH DELICATELY IN 30°C. WATER WITH MILD SOAP FLAKES OR DRY CLEAN.  
WE RECOMMEND THAT ALL GARMENTS STRIPED OR IN CONTRASTING COLORS BE DRY CLEANED.  
PLEASE CONTACT THE SALES OFFICE TO EVALUATE THE POSSIBILITY OF TREATMENTS AND COSTS TO ACHIEVE HIGHER FASTNESS.  
DRY FLAT, IMMEDIATELY AFTER WASHING. DO NOT EXPOSE WET GARMENTS TO DIRECT LIGHT.  
SHRINKING AFTER WASHING DEPENDS ON THE KIND OF STITCH USED, AND IT IS ALWAYS NECESSARY TO CARRY OUT TESTS RELATED TO WHAT IS STATED ON THE MAINTENANCE LABELS.  
IT IS ADVISABLE TO ALWAYS CARRY OUT A PRE-PRODUCTION INSPECTION OF INDUSTRIAL PRODUCTION IN ORDER TO GUARANTEE SIZE CONFORMITY.

**SIMBOLI DI MANUTENZIONE INTERNAZIONALI - UNI EN ISO 3758 : 2012 - INTERNATIONAL CARE SYMBOLS**

CAPI IN TINTA UNITA							ONE COLOUR GARMENTS
CAPI RIGATI O COLORI CONTRASTANTI							STRIPED OR MORE COLOUR GARMENTS

**filati BE.MIVA.**